# **Safety Data Sheet**



#### 1 Material and Supplier Identification

Product Name: **Tahoe Blue** 

Description: All Purpose Cleaner

Recommended use of the chemical and restrictions:

Use only for the purpose on product label. This product is not intended to be used without

prior dilution if specified on product label.

Supplier's Information: Tahoe Supply Company LLC

3315 Research Way Carson City, NV 89706

(800)332-3385 (Customer Service)

**Emergency Telephone:** 

(CHEMTRÉC)

(800) 424-9300 USA (24 hrs)

#### 2 Hazards Identification

Classification of Mixture: Serious Eye Irritation: Category 2A Pictogram

Signal Word: WARNING

Hazard Statements: Causes serious eye irritation.

**Precautionary Statements** 

General: KEEP OUT OF REACH OF CHILDREN. Read label before use.

Prevention: Wash hands thoroughly after handling. Wear protective gloves.

Response: IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse skin with

water. If skin irritation persists: Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If problem

persists, call a Poison Center or get medical attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention

immediately.

## 3 Composition/Information on Ingredients

<u>Hazardous Ingredients</u>	CAS Number	Concentration Range %
Sodium Metasilicate	6834-92-0	1-5
Polyethylene glycol octylphenyl ether	9036-19-5	1-5
Isopropanol	67-63-0	1-5
Sodium tripolyphosphate	7758-29-4	1-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Page 1 of 5 Tahoe Blue - 5/20/2015

## 3 Composition/Information on Ingredients - Continued

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8

#### 4 First Aid Measures

Eye Contact: Flush eyes with water for 15 minutes. Remove contact lenses if any.

Skin Contact: Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin,

rinse immediately with water and remove clothing. Wash skin thoroughly with soap and

water.

Inhalation If discomfort is experienced after prolonged exposure to vapors, move person to fresh air.

Get medical attention if irritation persists.

Ingestion: Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting.

Drink glass of water to dilute product.

#### **5 Firefighting Measures**

Suitable Extinguishing Media: Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)

Specific Hazards arising from the

Chemical:

In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon

dioxide.

Specific Protective Equipment and

Precautions for Firefighters:

Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep

containers cool with water spray.

#### 6 Accidental Release Measures

Emergency Procedures: Keep area clear of personnel until area has been properly cleaned.

Personal Precautions/ Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, Protective Equipment: if safe to do so. Wear appropriate protective equipment to prevent any contamination of

skin, eyes, and personal clothing. Provide sufficient ventilation.

Environmental Precautions: If contamination of sewers or waterways has occurred, advise local emergency services.

Methods for Containment and

Cleaning Up:

Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in

accordance with local, state, and federal regulations.

## 7 Handling and Storage

Precautions for Safe Handling: Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use.

Keep out of reach of children.

Conditions for Safe Storage, Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and

check regularly for leaks.

See Section 10 for incompatible materials.

# 8 Exposure Controls/Personal Protection

**Control Parameters:** 

<u>Hazardous Ingredients</u> <u>ACGIH TLV</u> <u>OSHA PEL</u> <u>NIOSH IDLH</u>

Sodium Metasilicate N/A

Polyethylene glycol octylphenyl ether N/A
Isopropanol TWA 200 ppm TWA 400 ppm TWA 400 ppm

Sodium tripolyphosphate N/A

Appropriate engineering Good ventilation should be sufficient to control worker exposure to airborne contaminants.

controls:

Personal Protection

Eye Protection: Use protective glasses or safety goggles if splashing or spray-back is likely.

Hand Protection: Use protective gloves when used for prolong periods or if skin sensitive.

Skin Protection: Use apron if splashing or spray-back is likely.

Respiratory Protection: Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.

Hygiene Measures: Always wash hands after handling chemical products, and before smoking, eating,

drinking, or using the toilet. Wash contaminated clothing or protective equipment before

storage and re-use.

# 9 Physical and Chemical Properties

Physical State: Liquid Specific Gravity: 1.04 Vapour Pressure (mm Hg): <17 mm Hg
Color: Blue Evapporation Rate: <1 Vapour Density: >1

Evapporation Rate: Vapour Density: < 1 >1 Odor: Complete Freezing Point (°F): < 32 Lemon Solubility in Water: pH: Boiling Point (°F): > 212 13-14 VOC (g/L): <2 Flash Point (°F): > 200

< means less than > means greater than

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

Page 3 of 5

## 10 Stability and Reactivity

Reactivity: No specific data

Chemical Stability: Stable

Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid: Avoid exposure to heat and light.

Incompatible Materials: Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g.,

hydrochloric acid) and reactive metals (e.g., aluminum).

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

## 11 Toxological Information

Symptoms:

Eye Contact: Adverse symptoms may include the following: irritation, watering, redness

Skin Contact: Adverse symptoms may include the following: irritation, redness

Inhalation: Adverse symptoms may include the following: respiratory tract irritation, coughing

Ingestion: Adverse symptoms may include the following: stomach pains

Acute Toxicity:

Eye Contact: Causes eye irritation.

Skin Contact: May cause sin irritation.

Inhalation: May cause respiratory irritation.

Ingestion: May cause burns to mouth, throat and stomach.

**Toxicity Data:** 

**Hazardous Ingredients** Result Species Dose LD50 - Oral Rat Sodium Metasilicate 438 mg/kg Polyethylene glycol octylphenyl ether No data available Isopropanol LD50- Oral Rat 5045 mg/kg 16000 ppm LC50 Rat Rabbit 12,800 mg/kg LC50- Dermal

Sodium tripolyphosphate No data available

Chronic Effects: No known significant effects or critical hazards

# 12 Ecological Information

Ecotoxicity: No data available.

**Aquatic Toxicity:** 

**Hazardous Ingredients** Result Species Dose Sodium Metasilicate No Data Available Polyethylene glycol octylphenyl ether No data available 9640 ml/l 96 hrs LD50 Fathead minnow Isopropanol EC50 Daphnia Magna 5102 mg/l 24 hrs EC50 Green Algae >2000 mg/l 72 hrs No data available Sodium tripolyphosphate

Other Adverse Effects: No known significant effects or critical hazards.

Page 4 of 5 Tahoe Blue - 5/20/2015

# 13 Disposal Considerations

Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container in trash.

Dispose of waste in accordance with federal, state, and local regulations.

# 14 Transportation Information

Certain shipping modes or package sizes may have exceptions from the transport regulations.

The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

**Ground Transport** 

DOT Classification: Not Regulated

**UN Number:** 

Transport Hazard Class:

Packaging Group: Hazardous Division:

Hazardous Contents:

# 15 Regulatory Information

SARA Title III: No

California Proposition 65: No

Other Regulations:

## 16 Other Information

HMIS/NFPA Hazard Rating: Health: 2 Flammability: 1 Reactivity: 0

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult Tahoe Supply Company.

MSDS Revision Date: 4/28/2015